

HACCP PLAN

Guideline for Submitting a Hazard Analysis Critical Control Point (HACCP) Plan

plans and specifications be submitted to the Department when a person proposes to construct a food establishment, remodel or alter a food establishment, or convert or remodel an existing building for use as a food establishment. The minimum information provided must include the plans and specifications of the building and the food equipment, and must include other information as required to complete the review. In certain cases, the Department may require information relative to the foods proposed for processing or manufacture in order to assess whether the food handling and preparation procedures, as well as training procedures, adequately control identified hazards. A plan submittal with this information is called a HACCP Plan. A HACCP Plan is required for certain facilities that, following a preliminary priority assessment, are classified as a **High or Moderate Priority** facility. This guideline is to assist you in providing the information for the Priority Assessment and the HACCP Plan.

Information Necessary for a Priority Assessment

- 1. *Menu or Types of Foods* Provide a copy of the menu or a written description of the foods that will be prepared and served.
- 2. *Food Service System* Specify the types of food service systems you will use. Food service systems include: Cook-Serve, Cook-Hot Hold-Serve, Cook-Chill-Reheat-Hot Hold-Serve, etc.
- 3. Number of Meals Prepared- Specify the number of meals prepared on an average day.
- 4. *Population Served* Specify whether you serve groups of persons who are particularly susceptible to disease; for example, very young, aged, hospitalized, or otherwise compromised.

For a food establishment that the Department classifies as a **High or Moderate Priority** facility, the following information must be submitted to comply with the Hazard Analysis requirements.

For High or Moderate Facilities:

General Food Preparation Information

- 1. Describe how you will ensure that all foods received will be from approved sources.
- 2. Specify whether raw meats, poultry, and seafood will be stored in the same refrigeration units as cooked/ready-to-eat foods. If so, describe how cross-contamination will be prevented.
- 3. Indicate how each category of frozen potentially hazardous foods will be thawed.
- 4. Indicate how each category of potentially hazardous foods will be cooled. Methods include: ice baths, shallow pans, reduced volume, rapid chill, etc.
- 5. List the categories of foods that will be prepared more than 12 hours in advance of service.
- 6. Specify how ingredients for cold ready-to-eat foods will be pre-chilled before mixing or assembly.
- 7. Specify whether any prepared foods are distributed off-premises.
- 8. Specify whether any foods are received in reduced oxygen packaging, or are reduced oxygen packaged on-site.

HACCP Plan Information

- 1. For the menu items identified by the Department as being frequently involved in foodborne illnesses, submit a completed *HACCP Plan Form* or equal. Once approved, this form must be readily available in the food preparation area of each store. During the process of completing this form, it is necessary to carefully analyze how the foods are prepared. The most important steps in terms of the safety of the foods, known as critical control points, must be identified on the *HACCP Plan Form*. At these points, a potential food hazard is controlled by properly completing an activity. The activity often has a measurable component or limit that can be monitored. Critical Control Points (CCPs) generally include thawing, cooking, chilling, reheating, and hot-holding, but other steps may be included depending on the food. The way in which the CCPs are monitored must be described on the *HACCP Plan Form*. If the activity at the Critical Control Point is not completed properly due to employee error, equipment malfunction, etc., a corrective action is necessary. The corrective action for each CCP must be placed on the *HACCP Plan Form*. Refer to the attached example *HACCP Plan Form*.
- 2. Provide drawings or other information which show that the arrangement of work areas, work flow plan, and food service system are coordinated to minimize possible contamination or mishandling of food.
- 3. The equipment used to support the proposed food service system and necessary to control the identified hazards at Critical Control Points (CCPs) must be indicated on the *HACCP Plan Form*, facility layout plan, and the equipment schedule. Depending on the type of food service system and the identified CCPs, needed equipment may include: cooking equipment, equipment designed to chill hot food, cold-holding equipment, hot/cold-holding equipment, and reheating equipment.
- 4. Submit a written procedure for training a food service facility employee on the information found in the *HACCP Plan Form*.

HACCP Plan Form [*Style #1 EXAMPLE 1*]


Facility: ABC Restaurant

Preparer: <u>CDE Consultants</u>

Date: 00/00/00

Food item: Beef Roast / Sliced Beef

Flow diagram or descriptive narrative of the food preparation steps for the food item:



HACCP Chart

Critical Control Points (CCPs)	Monitoring Procedures	Corrective Actions
1. <u>Cook</u> to internal temperature of 145°F for a minimum of 3 minutes.	Check the temperature of the product's center with a calibrated stem thermometer.	Continue to cook.
2. <u>Hot Hold</u> at minimum of 135°F. (Maximum of 4 hours)	Check the internal temperature of the product every hour.	If internal temp. is less than 135°F for more than 1 hr Discard. If internal temp. is less than 135°F for 1 hr. or less, rapidly reheat to 165°F for 15 seconds.
3. <u>Cool</u> so that internal temperature is less than 70°F in 2 hrs., and less than 41°F in an additional 4 hrs.	Check the internal temperature of the product at 1 hr. intervals.	If 70°F is not reached in 2hrs., additional cooling methods must be started (i.e. cutting product into smaller pieces, using ice bath, etc.) Discard product if not attained.
4. <u>Reheat</u> to internal temperature of 165°F for at least 15 seconds.	Check the internal temperature of the product.	Discard product if it fails to reach 165°F within 2 hours.

Equipment Utilized at each Critical Control Point (include type and quantity of each unit)

CCP 1: <u>Convection Oven (2)</u>

CCP 2: Heat Lamps (4)

CCP 3: Walk-in Cooler (1)

CCP 4: Convection Oven (2)

HACCP Plan Form [Style #1 EXAMPLE 2]


Facility: ABC Restaurant

Preparer: CDE Consultants

Date: 00/00/00

Food item: Potato Salad

Flow diagram or descriptive narrative of the food preparation steps for the food item:



HACCP Chart

Critical Control Points (CCPs)	Monitoring Procedures	Corrective Actions
1. <u>Cool</u> potatoes so that internal temperature is less than 70°F in 2 hrs., and less than 41°F in an additional 4 hrs.	Take the temperature every hour.	If 70°F is not reached in 2hrs., additional cooling methods must be started (i.e. cutting product into smaller pieces, using ice bath, etc.) Discard product if not attained.
 <u>Mix</u> using prechilled ingredients. Use good hygienic practices, and sanitize all prep. utensils. Rapidly re-chill food after prep. if greater than 41°F. 	Evaluate procedures and check the temperature of the food every 30 minutes.	Re-chill if the food temperature exceeds 41°F, and discard the food if contaminated or if the temperature exceeds 41°F for more than 4 hrs.
3. <u>Store</u> the food to maintain the temperature at 41°F or less.	Check food temp. every hour while on display. Check indicating thermometer on the refrigerator every 6 hrs.	Discard the food if its internal temperature exceeds 41°F for a cumulative time of 4 hrs.

Equipment Utilized at each Critical Control Point (include type and quantity of each unit)

CCP 1: Walk-in Refrigerator (1)

CCP 2: <u>Reach-in Refrigerator (2)</u>

CCP 3: Salad Bar, Walk-in Refrigerator

HACCP Plan Form [Style #2]

Facility: <u>ABC Restaurant</u> *Preparer:* <u>CDE Consultants</u> *Date:* <u>00/00/00</u>

[MENU ITEM 1] Pork BBQ – > [SOURCE] from the retailer, refrigerated

- ➢ Cold hold in refrigerator at 41° F or below
- Check temp. every few hours
- ➢ Boil to 155° F or above (internal temp)
- Add seasonings
- \blacktriangleright Chill to 41° F within 6 hrs. in refrigerator
- \blacktriangleright Reheat to 165° F or above
- ▶ Hot hold at 135° F or above, check temp. every hour
- Refrigerate leftovers

[MENU ITEM 2] Beef BBQ - > [SOURCE] from the retailer, refrigerated

- \succ Cold hold in refrigerator at 41° F or below
- Check temp. every few hours
- \blacktriangleright Cook on grill to 155° F or above
- Slice and chill to 41° F within 6 hrs. in the refrigerator
- \blacktriangleright Reheat to 165° F or above
- ▶ Hot hold at 135° F or above, check temp. every hour
- Refrigerate leftovers

[MENU ITEM 3] Spare Ribs - > [SOURCE] from retailer, frozen

- > Thaw overnight in refrigerator at 41° F or below
- Check temp. every few hours
- Cook on grill to 165° F or above (internal temp.)
- ▶ Hot hold at 135°F or above, check temp. every hour
- Refrigerate leftovers

[MENU ITEM 4] Cole Slaw -> [SOURCE] Purchase slaw mix from retailer

- \succ Cold hold in refrigerator at 41° F or below
- Check temp. every few hours
- > Add spices and mayo, use pre-chilled ingredients
- > Mix quickly so temp. does not exceed 55° F
- > Put into 4 oz. plastic condiment cups with lids
- ➤ Refrigerate at 41° F or below, check temp. every hour
- > Take from refrigerator and give to customer

HACCP Plan Form [RETURN ONE FORM PER MENU ITEM TO THE HEALTH DEPARTMENT]

Facility:_____ Preparer:_____ Date:____

Menu item: _____

Flow diagram or descriptive narrative of the food preparation steps for the food item:

HACCP Chart

Critical Control Points (CCPs)	Monitoring Procedures	Corrective Actions
1.		
2.		
3.		
4.		

Equipment Utilized at each Critical Control Point (include type and quantity of each unit)

CCP 2: _____

CCP 3: _____

CCP 4: _____

PROCESS PLAN Fact Sheet

TEMPERATURE LOG SHEET [example for your use]

Facility:_____

Note: Cooling 135°F to 70°F in 2 hours, 70°F to 41°F in an additional 4 hours.

DATE	COOK START TIME	COOK END TIME	TEMP	COOLING START TIME (135ºF)	TEMP AFTER 2HRS	2HR TIME	TEMP AFTER 4HRS	END TIME (TOTAL 6HRS)

Buffet Log Fact Sheet

FOOD TEMPERATURE LOG [example for your use]

Facility:_____

Required Temperatures:

- Temperatures of COLD FOODS = 41° or below
- HOT HOLDING temperature (not initial temperature see below) = 135° or above
- Temperature of REHEATED FOODS = 165°F within 2 hours or less
- Cooked foods must be COOLED from 135°F to 70°F within 2 hours and from 70°F to 41°F or less within an additional 4 hours

Employee Initials	Date	Time	Food Item	Temperature	Corrective Action

The following is a summary of the minimum internal cooking temperatures of various food items

- 145°F for 15 seconds for shell eggs prepared for immediate service, fish, meat, and all other potentially hazardous foods not specified below
- 155^oF for 15 seconds for shell eggs not prepared for immediate service, ratites, comminuted fish and meats, game animals commercially raised for food, and injected meats
- 165°F for 15 sec for poultry, stuffed meat, pasta, or poultry, exotic bird species, wild game animals, and stuffing containing fish, meat or poultry
- 165°F and held for 2 minutes raw animal foods cooked in a microwave oven
- 135°F for fruits, vegetables, and ready to eat commercially processed foods cooked for hot holding
- 130°F for 112 minutes for whole or corned beef, and pork and cured pork roasts

HACCP-Based Standard Operating Procedures



National Food Service Management Institute

The University of Mississippi NFSMI Item Number ET63-05(Print)

2005

This project has been funded at least in part with Federal funds from the U.S. Department of Agriculture, Food and Nutrition Service, through an agreement with the National Food Service Management Institute at The University of Mississippi. The contents of this publication do not necessarily reflect the views or policies of the U.S. Department of Agriculture, nor does mention of trade names, commercial products, or organizations imply endorsement by the U.S. government.

The University of Mississippi is an EEO/Title VI/Title IX/Section 504/ADA/ADEA employer.

© 2005, National Food Service Management Institute, The University of Mississippi.

Except as provided below, you may freely use the text and information contained in this document for nonprofit or educational use providing the following credit is included:

Suggested Reference Citation:

U.S. Department of Agriculture, Food and Nutrition Service, & National Food Service Management Institute. (2005). HACCP-based standard operating procedures (SOPs). University, MS: Author.

The photographs and images in this document may be owned by third parties and used by The University of Mississippi under a licensing agreement. The University cannot, therefore, grant permission to use these images. For more information, please contact nfsmi@olemiss.edu.

National Food Service Management Institute The University of Mississippi

Building the Future Through Child Nutrition

The National Food Service Management Institute (NFSMI) was authorized by Congress in 1989 and established in 1990 at The University of Mississippi in Oxford. The Institute operates under a grant agreement with the United States Department of Agriculture, Food and Nutrition Service.

PURPOSE

The purpose of NFSMI is to improve the operation of Child Nutrition Programs through research, education and training, and information dissemination. The Administrative Offices and Divisions of Technology Transfer and Education and Training are located in Oxford. The Division of Applied Research is located at The University of Southern Mississippi in Hattiesburg.

MISSION

The mission of the NFSMI is to provide information and services that promote the continuous improvement of Child Nutrition Programs.

VISION

The vision of the NFSMI is to be the leader in providing education, research, and resources to promote excellence in Child Nutrition Programs.

CONTACT INFORMATION

Headquarters The University of Mississippi Phone: 800-321-3054 Fax: 800-321-3061 www.nfsmi.org

Education and Training Division Technology Transfer Division The University of Mississippi

6 Jeanette Phillips Drive P.O. Drawer 188 University, MS 38677-0188

Applied Research Division

he University of Southern Mississippi 118 College Drive #10077 Hattiesburg, MS 39406-0001 Phone: 601-266-5773 Fax: 888-262-9631





Acknowledgments

WRITTEN AND DEVELOPED BY

Theresa Stretch, MS, RD, CFSP

GRAPHIC DESIGN BY Vicki Howe

EXECUTIVE DIRECTOR Charlotte B. Oakley, PhD, RD, FADA

TASK FORCE MEMBERS

Stewart Eidel Staff Specialist Maryland Dept of Education

Janice Fabina Nutritionist USDA/FNS Child Nutrition Division

Eileen Ferruggiaro Nutritionist USDA/FNS Child Nutrition Division

Mary Ann Gabriel Food Service Supervisor Division of Food and Nutrition Services Montgomery County Public Schools

Beth King National Food Service Management Institute University of Mississippi

Mary Klatko Administrator, Food & Nutrition Service Howard County Public School System

Jody Lydic Area Assistant Baltimore County Public School Glenda R. Lewis Supervisory Consumer Safety Officer Retail Food Protection Team Center for Food Safety & Applied Nutrition Office of Compliance US FDA Holly McPeak, Public Affairs Specialist USDA, FSIS, Food Safety Education

Cindy Roberts Jimmy Liu Food Safety Information Specialist USDA/FDA Food borne Illness Education Information Center National Agricultural Library

Patrick A. Tague Food Service Field Operations Manager Charles County Public Schools

Alan M. Tart Regional Retail Food Specialist US FDA, Southeast Regional Office

Daren Zeller Food& Nutrition Technician Harford County Public Schools



REVIEWERS

Sincere appreciation is expressed to the representatives from the United States Department of Agriculture and United States Food and Drug Administrators who contributed their time and expertise to review these materials. Special thanks to Alan Tart for his commitment in the development of this project.

PILOT TEST

We are grateful to the State agencies, state school nutrition associations, and the school nutrition professionals in the 29 states who participated in the pilot test.



Table of Contents

Introduction	1
HACCP-Based Standard Operating Procedures	
1. Cleaning and Sanitizing Food Contact Surfaces	3
2. Controlling Time and Temperature During Preparation	7
3. Cooking Potentially Hazardous Foods	9
4. Cooling Potentially Hazardous Food	11
5. Date Marking and Ready-to-Eat, Potentially Hazardous Food	13
6. Handling a Food Recall	15
7. Holding Hot and Cold Potentially Hazardous Foods	19
	22
8. Personal Hygiene	23
9. Preventing Contamination at Food Bars	25
10. Preventing Cross-Contamination During Storage and Preparation	27
11. Receiving Deliveries	29
12. Reheating Potentially Hazardous Foods	33
13. Serving Food	35
14. Storing and Using Poisonous or Toxic Chemicals	37
15. Transporting Food to Remote Sites (Satellite Kitchens)	39
16. Using and Calibrating Thermometers	43
17. Using Suitable Utensils When Handling Ready-to-Eat Foods	47
18. Using Time Alone as a Public Health Control to Limit Bacteria	10
19. Growth in Potentially Hazardous Foods	49
20. Washing Fruits and Vegetables	51
21. Washing Hands	53
Reference List	113
Resource List	115



Introduction

Background

The U.S. Department of Agriculture (USDA) has issued guidance for the implementation of Hazard Analysis and Critical Control Point (HACCP) -based food safety programs in schools participating in the National School Lunch Program (NSLP) or the School Breakfast Program (SBP). Section 111 of the Child Nutrition and WIC Reauthorization Act of 2004 (Public Law 108-265) amended section 9(h) of the Richard B. Russell National School Lunch Act by requiring school food authorities (SFAs) to implement a food safety program for the preparation and service of school meals served to children. The requirement is effective in the school year beginning July 1, 2005. The food safety program must be based on HACCP principles as outlined in the guidance.

All SFAs must have a fully implemented food safety program that complies with HACCP principles or with the optional guidance no later than the end of the 2005–2006 school year. For information specific to the implementation of the guidance in your state, contact your State Agency.

HACCP-Based Standard Operating Procedures (SOPs)

The National Food Service Management Institute (NFSMI) has developed HACCP-based Standard Operating Procedures in conjunction with USDA and FDA. Although the NFSMI SOPs include HACCP-based principles, you should remember that SOPs are only one component of your overall food safety program.

This resource provides sample HACCP-based Standard Operating Procedures (SOPs) and worksheets which contain the minimum elements that can assist you when developing your food safety program. Print the HACCP-based SOPs and complete the worksheets which have been included in this resource and you will see a model for developing your food safety program.

HACCP-based SOPs include the following principles:

- Corrective actions
- Monitoring procedures
- Verification procedures
- Record keeping procedures

Your food safety program should be specific to meet the needs of each food production and food service facility in your district. You may need to modify the SOPs and worksheets so they comply with your State and local requirements. Additional information that will assist you in the development of your food safety program is forthcoming and will be placed on the NFSMI Web site at: www.nfsmi.org.

Adapted from: United States Department of Agriculture, Food and Nutrition Service. (June 2005). *Guidance for School Food Authorities: Developing a School Food Service Program Based on the Process Approach to HACCP Principles.* United States Department of Agriculture, Food and Nutrition Service. Author. http://www.fns.usda.gov/cnd/lunch/Downloadable/HACCPGuidance.pdf



Cleaning and Sanitizing Food Contact Surfaces

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

SCOPE: This procedure applies to foodservice employees involved in cleaning and sanitizing food contact surfaces.

KEY WORDS: Food Contact Surface, Cleaning, Sanitizing

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces. Refer to Storing and Using Poisonous or Toxic Chemicals SOP.
- 4. If State or local requirements are based on the 2001 FDA Food Code, wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
 - Before each use
 - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
 - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
 - Any time contamination occurs or is suspected
- 5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
 - Wash surface with detergent solution.
 - Rinse surface with clean water.
 - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
 - Place wet items in a manner to allow air drying.



Cleaning and Sanitizing Food Contact Surfaces, continued (Sample SOP)

INSTRUCTIONS, continued:

- 6. If a 3-compartment sink is used, setup and use the sink in the following manner:
 - In the first compartment, wash with a clean detergent solution at or above 110 °F or at the temperature specified by the detergent manufacturer.
 - In the second compartment, rinse with clean water.
 - In the third compartment, sanitize with a sanitizing solution mixed at a concentration specified on the manufacturer's label or by immersing in hot water at or above 171 °F for 30 seconds. Test the chemical sanitizer concentration by using an appropriate test kit.
- 7. If a dishmachine is used:
 - Check with the dishmachine manufacturer to verify that the information on the data plate is correct.
 - Refer to the information on the data plate for determining wash, rinse, and sanitization (final) rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
 - Follow manufacturer's instructions for use.
 - Ensure that food contact surfaces reach a surface temperature of 160 °F or above if using hot water to sanitize.

MONITORING:

Foodservice employees will:

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. In a 3-compartment sink, on a daily basis:
 - Visually monitor that the water in each compartment is clean.
 - Take the water temperature in the first compartment of the sink by using a calibrated thermometer.
 - If using chemicals to sanitize, test the sanitizer concentration by using the appropriate test kit for the chemical.
 - If using hot water to sanitize, use a calibrated thermometer to measure the water temperature. Refer to Using and Calibrating Thermometers SOPs.



Cleaning and Sanitizing Food Contact Surfaces, continued

(Sample SOP)

MONITORING, continued:

3. In a dishmachine, on a daily basis:

- Visually monitor that the water and the interior parts of the machine are clean and free of debris.
- Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
- For hot water sanitizing dishmachine, ensure that food contact surfaces are reaching the appropriate temperature by placing a piece of heat sensitive tape on a smallware item or a maximum registering thermometer on a rack and running the item or rack through the dishmachine.
- For chemical sanitizing dishmachine, check the sanitizer concentration on a recently washed food-contact surface using an appropriate test kit.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. In a 3-compartment sink:
 - Drain and refill compartments periodically and as needed to keep the water clean.
 - Adjust the water temperature by adding hot water until the desired temperature is reached.
 - Add more sanitizer or water, as appropriate, until the proper concentration is achieved.
- 4. In a dishmachine:
 - Drain and refill the machine periodically and as needed to keep the water clean.
 - Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash temperature indicated on the data plate.
 - For a hot water sanitizing dishmachine, retest by running the machine again. If the appropriate surface temperature is still not achieved on the second run, contact the appropriate individual(s) to have the machine repaired. Wash, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items if a 3-compartment sink is not available.
 - For a chemical sanitizing dishmachine, check the level of sanitizer remaining in bulk container. Fill, if needed. "Prime" the machine according to the manufacturer's instructions to ensure that the sanitizer is being pumped through



Cleaning and Sanitizing Food Contact Surfaces, continued

(Sample SOP)

CORRECTIVE ACTION, continued:

the machine. Retest. If the proper sanitizer concentration level is not achieved, stop using the machine and contact the appropriate individual(s) to have it repaired. Use a 3-compartment sink to wash, rinse, and sanitize until the machine is repaired.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record monitoring activities and any corrective action taken on the Food Contact Surfaces Cleaning and Sanitizing Log. The foodservice manager will verify that foodservice employees have taken the required temperatures and tested the sanitizer concentration by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Food Contact Surfaces Cleaning and Sanitizing Log. The log will be kept on file for at least 1 year. The foodservice manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	_ BY:
DATE REVISED:	BY:



Controlling Time and Temperature During Preparation

(Sample SOP)

PURPOSE: To prevent foodborne illness by limiting the amount of time that potentially hazardous foods are held in the temperature danger zone during preparation.

SCOPE: This procedure applies to foodservice employees who prepare food.

KEY WORDS: Cross-Contamination, Time and Temperature Control, Food Preparation, Temperature Danger Zone

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. Wash hands prior to preparing foods. Refer to the Washing Hands SOP.
- 4. Use clean and sanitized equipment and utensils while preparing food.
- 5. Separate raw foods from ready-to-eat foods by keeping them in separate containers until ready to use and by using separate dispensing utensils. Refer to the Preventing Cross-Contamination During Storage and Preparation SOP.
- 6. Pre-chill ingredients for cold foods, such as sandwiches, salads, and cut melons, to 41 °F or below before combining with other ingredients.
- 7. Prepare foods as close to serving times as the menu will allow.
- 8. Prepare food in small batches.
- 9. Limit the time for preparation of any batches of food so that ingredients are not at room temperature for more than 30 minutes before cooking, serving, or being returned to the refrigerator.
- 10. If potentially hazardous foods are not cooked or served immediately after preparation, quickly chill. Refer to the Cooling Potentially Hazardous Foods SOP.

MONITORING:

- 1. Use a clean, sanitized, and calibrated probe thermometer, preferably a thermocouple.
- 2. Take at least two internal temperatures from each pan of food at various stages of preparation.
- 3. Monitor the amount of time that food is in the temperature danger zone. It should not exceed 4 hours.



Controlling Time and Temperature During Preparation, continued

(Sample SOP)

CORRECTIVE ACTIONS:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Begin the cooking process immediately after preparation is complete for any foods that will be served hot.
- 3. Rapidly cool ready-to-eat foods or foods that will be cooked at a later time.
- 4. Immediately return ingredients to the refrigerator if the anticipated preparation completion time is expected to exceed 30 minutes.
- 5. Discard food held in the temperature danger zone for more than 4 hours.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record the date, product name, start and end times of production, the two temperature measurements taken, any corrective actions taken, and the amount of food prepared on the Production Log. The foodservice manager will verify that foodservice employees are taking the required temperatures and following the proper preparation procedure by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Production Log daily. Maintain the Production Log as directed by your State agency. The foodservice manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	_ BY:
	BY:
DATE REVISED:	_DI



Cooking Potentially Hazardous Foods

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all foods are cooked to the appropriate internal temperature.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Cooking

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. If a recipe contains a combination of meat products, cook the product to the highest required temperature.
- 4. If State or local health department requirements are based on the 2001 FDA Food *Code*, cook products to the following temperatures:
 - a. 145 °F for 15 seconds
 - Seafood, beef, and pork
 - Eggs cooked to order that are placed onto a plate and immediately served
 - b. 155 °F for 15 seconds
 - Ground products containing beef, pork, or fish
 - Fish nuggets or sticks
 - Eggs held on a steam table
 - Cubed or Salisbury steaks
 - c. 165 °F for 15 seconds
 - Poultry
 - Stuffed fish, pork, or beef
 - Pasta stuffed with eggs, fish, pork, or beef (such as lasagna or manicotti)
 - d. 135 °F for 15 seconds
 - Fresh, frozen, or canned fruits and vegetables that are going to be held on a steam table or in a hot box



Cooking Potentially Hazardous Foods, continued

(Sample SOP)

MONITORING:

- 1. Use a clean, sanitized, and calibrated probe thermometer, preferably a thermocouple.
- 2. Avoid inserting the thermometer into pockets of fat or near bones when taking internal cooking temperatures.
- 3. Take at least two internal temperatures from each batch of food by inserting the thermometer into the thickest part of the product which usually is in the center.
- 4. Take at least two internal temperatures of each large food item, such as a turkey, to ensure that all parts of the product reach the required cooking temperature.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Continue cooking food until the internal temperature reaches the required temperature.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record product name, time, the two temperatures/times, and any corrective action taken on the Cooking and Reheating Temperature Log. Foodservice manager will verify that foodservice employees has taken the required cooking temperatures by visually monitoring foodservice employees and preparation procedures during the shift and reviewing, initialing, and dating the temperature log at the close of each day. The Cooking and Reheating Temperature Log is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	



Cooling Potentially Hazardous Foods

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all potentially hazardous foods are cooled properly.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Cooling, Holding

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. Modify menus, production schedules, and staff work hours to allow for implementation of proper cooling procedures.
- 4. Prepare and cool food in small batches.
- 5. Chill food rapidly using an appropriate cooling method:
 - Place food in shallow containers no more than 4 inches deep and uncovered on the top shelf in the back of the walk-in or reach-in cooler.
 - Use a quick-chill unit such as a blast chiller.
 - Stir the food in a container placed in an ice water bath.
 - Add ice as an ingredient.
 - Separate food into smaller or thinner portions.
 - Pre-chill ingredients and containers used for making bulk items such as salads.
- 6. If State or local requirements are based on the *2001 FDA Food Code*, chill cooked, hot food from:
 - 135 °F to 70 °F within 2 hours. Take corrective action immediately if food is not chilled from 135 °F to 70 °F within 2 hours.
 - 70 °F to 41 °F or below in remaining time. The total cooling process from 135 °F to 41 °F may not exceed 6 hours. Take corrective action immediately if food is not chilled from 135 °F to 41 °F within the 6 hour cooling process.
- Chill prepared, ready-to-eat foods such as tuna salad and cut melons from 70 °F to 41 °F or below within 4 hours. Take corrective action immediately if ready-to-eat food is not chilled from 70 °F to 41 °F within 4 hours.



Cooling Potentially Hazardous Foods, continued

(Sample SOP)

MONITORING:

- 1. Use a clean, sanitized, and calibrated probe thermometer to measure the internal temperature of the food during the cooling process.
- 2. Monitor temperatures of products every hour throughout the cooling process by inserting a probe thermometer into the center of the food and at various locations in the product.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Reheat cooked, hot food to 165 °F for 15 seconds and start the cooling process again using a different cooling method when the food is:
 - Above 70 °F and 2 hours or less into the cooling process; and
 - Above 41 °F and 6 hours or less into the cooling process.
- 3. Discard cooked, hot food immediately when the food is:
 - Above 70 °F and more than 2 hours into the cooling process; or
 - Above 41 °F and more than 6 hours into the cooling process.
- 3. Use a different cooling method for prepared ready-to-eat foods when the food is above 41 °F and less than 4 hours into the cooling process.
- 4. Discard prepared ready-to-eat foods when the food is above 41 °F and more than 4 hours into the cooling process.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record temperatures and corrective actions taken on the Cooling Temperature Log. Foodservice employees will record if there are no foods cooled on any working day by indicating "No Foods Cooled" on the Cooling Temperature Log. The foodservice manager will verify that foodservice employees are cooling food properly by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the temperature log each working day. The Cooling Temperature Logs are to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	_BY:



Date Marking Ready-to-Eat, Potentially Hazardous Food (Sample SOP)

PURPOSE: To ensure appropriate rotation of ready-to-eat food to prevent or reduce foodborne illness from *Listeria monocytogenes*.

SCOPE: This procedure applies to foodservice employees who prepare, store, or serve food.

KEY WORDS: Ready-to-Eat Food, Potentially Hazardous Food, Date Marking, Cross-Contamination

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. The best practice for a date marking system would be to include a label with the product name, the day or date, and time it is prepared or opened. Examples of how to indicate when the food is prepared or opened include:
 - Labeling food with a calendar date, such as "cut cantaloupe, 5/26/05, 8:00 a.m.,"
 - Identifying the day of the week, such as "cut cantaloupe, Monday, 8:00 a.m.," or
 - Using color-coded marks or tags, such as cut cantaloupe, blue dot, 8:00 a.m. means "cut on Monday at 8:00 a.m."
- 2. Follow State or local health department requirements.
- 3. Label ready-to-eat, potentially hazardous foods that are prepared on-site and held for more than 24 hours.
- 4. Label any processed, ready-to-eat, potentially hazardous foods when opened, if they are to be held for more than 24 hours.
- 5. Refrigerate all ready-to-eat, potentially hazardous foods at 41 °F or below.
- 6. Serve or discard refrigerated, ready-to-eat, potentially hazardous foods within 7 days.
- 7. Indicate with a separate label the date prepared, the date frozen, and the date thawed of any refrigerated, ready-to-eat, potentially hazardous foods.
- 8. Calculate the 7-day time period by counting only the days that the food is under refrigeration. For example:
 - On Monday, 8/1/05, lasagna is cooked, properly cooled, and refrigerated with a label that reads, "Lasagna, Cooked, 8/1/05."
 - On Tuesday, 8/2/05, the lasagna is frozen with a second label that reads, "Frozen, 8/2/05." Two labels now appear on the lasagna. Since the lasagna was held under refrigeration from Monday, 8/1/05 Tuesday, 8/2/05, only 1 day is counted towards the 7-day time period.



Date Marking Ready-to-Eat, Potentially Hazardous Food, continued

(Sample SOP)

INSTRUCTIONS, continued:

• On Tuesday 8/16/05 the lasagna is pulled out of the freezer. A third label is placed on the lasagna that reads, "Thawed, 8/16/05." All three labels now appear on the lasagna. The lasagna must be served or discarded within 6 days.

MONITORING:

A designated employee will check refrigerators daily to verify that foods are date marked and that foods exceeding the 7-day time period are not being used or stored.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Foods that are not date marked or that exceed the 7-day time period will be discarded.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	_BY:



Handling a Food Recall

(Sample SOP)

PURPOSE: To prevent foodborne illness in the event of a product recall.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Food Recalls

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Review the food recall notice and specific instructions that have been identified in the notice.
- 4. Communicate the food recall notice to feeding sites.
- 5. Hold the recalled product using the following steps:
 - Physically segregate the product, including any open containers, leftover product, and food items in current production that items contain the recalled product.
 - If an item is suspected to contain the recalled product, but label information is not available, follow the district's procedure for disposal.
- 6. Mark recalled product "Do Not Use" and "Do Not Discard." Inform the entire staff not to use the product.
- 7. Do not destroy any USDA commodity food without official written notification from the State Distributing Agency, USDA Food Safety Inspection Services (FSIS), or State or local health department.
- 8. Inform the school district's public relations coordinator of the recalled product.
- 9. Identify and record whether any of the product was received in the district, locate the food recall product by feeding site, and verify that the food items bear the product identification code(s) and production date(s) listed in the recall notice.
- 10. Obtain accurate inventory counts of the recalled products from every feeding site, including the amount in inventory and amount used.
- 11. Account for all recalled product by verifying inventory counts against records of food received at the feeding site.

MONITORING:

Foodservice employees and foodservice manager will visually observe that school sites have segregated and secured all recalled products.



Handling a Food Recall, continued

(Sample SOP)

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Determine if the recalled product is to be returned and to whom, or destroyed and by whom.
- 3. Notify feeding site staff of procedures, dates, and other specific directions to be followed for the collection or destruction of the recalled product.
- 4. Consolidate the recall product as quickly as possible, but no later than 30 days after the recall notification.
- 5. Conform to the recall notice using the following steps:
 - Report quantity and site where product is located to manufacturer, distributor, or State agency for collection. The quantity and location of the affected USDA commodity food must be submitted to the State Distributing Agency within 10 calendars days of the recall.
 - Obtain the necessary documents from the State Distributing Agency for USDA commodity foods. Submit necessary documentation for reimbursement of food costs.
 - Complete and maintain all required documentation related to the recall including:
 - Recall notice
 - Records of how food product was returned or destroyed
 - Reimbursable costs
 - Public notice and media communications
 - Correspondence to and from the public health department and State agency

VERIFICATION AND RECORD KEEPING

Foodservice employees will record the name of the contaminated food, date, time, and the reason why the food was discarded on the Damaged or Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged or Discarded Product Log each day. Maintain the Damaged or Discarded Product Logs for a minimum of 1 year.



Handling a Food Recall, continued

(Sample SOP)

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	

Adapted from: National Food Service Management Institute. (2002). *Responding to a Food Recall*. University, MS: Author.





Holding Hot and Cold Potentially Hazardous Foods

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all potentially hazardous foods are held under the proper temperature.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Holding, Hot Holding, Cold Holding, Storage

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. If State or local health department requirements are based on the 2001 FDA Food *Code*:
 - Hold hot foods at 135 °F or above
 - Hold cold foods at 41 °F or below
- 4. Preheat steam tables and hot boxes.

MONITORING:

- 1. Use a clean, sanitized, and calibrated probe thermometer to measure the temperature of the food.
- 2. Take temperatures of foods by inserting the thermometer near the surface of the product, at the thickest part, and at other various locations.
- 3. Take temperatures of holding units by placing a calibrated thermometer in the coolest part of a hot holding unit or warmest part of a cold holding unit.
- 4. For hot foods held for service:
 - Verify that the air/water temperature of any unit is at 135 °F or above before use.
 - Reheat foods in accordance with the Reheating for Hot Holding SOP.
 - All hot potentially hazardous foods should be 135 °F or above before placing the food out for display or service.
 - Take the internal temperature of food before placing it on a steam table or in a hot holding unit and at least every 2 hours thereafter.



Holding Hot and Cold Potentially Hazardous Foods, continued (Sample SOP)

MONITORING, continued:

- 5. For cold foods held for service:
 - Verify that the air/water temperature of any unit is at 41 °F or below before use.
 - Chill foods, if applicable, in accordance with the Cooling Potentially Hazardous Foods SOP.
 - All cold potentially hazardous foods should be 41 °F or below before placing the food out for display or service.
 - Take the internal temperature of the food before placing it onto any salad bar, display cooler, or cold serving line and at least every 2 hours thereafter.
- 6. For cold foods in storage:
 - Take the internal temperature of the food before placing it into any walk-in cooler or reach-in cold holding unit.
 - Chill food in accordance with the Cooling Potentially Hazardous Foods SOP if the food is not 41 °F or below.
 - Verify that the air temperature of any cold holding unit is at 41 °F or below before use and at least every 4 hours thereafter during all hours of operation.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. For hot foods:
 - Reheat the food to 165 °F for 15 seconds if the temperature is found to be below 135 °F and the last temperature measurement was 135 °F or higher and taken within the last 2 hours. Repair or reset holding equipment before returning the food to the unit, if applicable.
 - Discard the food if it cannot be determined how long the food temperature was below 135 °F.
- 3. For cold foods:
 - Rapidly chill the food using an appropriate cooling method if the temperature is found to be above 41 °F and the last temperature measurement was 41 °F or below and taken within the last 2 hours:
 - Place food in shallow containers (no more than 4 inches deep) and uncovered on the top shelf in the back of the walk-in or reach-in cooler.
 - Use a quick-chill unit like a blast chiller.
 - Stir the food in a container placed in an ice water bath.
 - Add ice as an ingredient.
 - Separate food into smaller or thinner portions.



Holding Hot and Cold Potentially Hazardous Foods, continued

(Sample SOP)

CORRECTIVE ACTION, continued:

- 4. Repair or reset holding equipment before returning the food to the unit, if applicable.
- 5. Discard the food if it cannot be determined how long the food temperature was above 41 °F.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record temperatures of food items and document corrective actions taken on the Hot and Cold Holding Temperature Log. A designated foodservice employee will record air temperatures of coolers and cold holding units on the Refrigeration Logs. The foodservice manager will verify that foodservice employees have taken the required holding temperatures by visually monitoring foodservice employees during the shift and reviewing the temperature logs at the close of each day. The temperature logs are to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	_BY:



Personal Hygiene

(Sample SOP)

PURPOSE: To prevent contamination of food by foodservice employees.

SCOPE: This procedure applies to foodservice employees who handle, prepare, or serve food.

KEY WORDS: Personal Hygiene, Cross-Contamination, Contamination

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Follow the Employee Health Policy. (Employee health policy is not included in this resource.)
- 4. Report to work in good health, clean, and dressed in clean attire.
- 5. Change apron when it becomes soiled.
- 6. Wash hands properly, frequently, and at the appropriate times.
- 7. Keep fingernails trimmed, filed, and maintained so that the edges are cleanable and not rough.
- 8. Avoid wearing artificial fingernails and fingernail polish.
- 9. Wear single-use gloves if artificial fingernails or fingernail polish are worn.
- 10. Do not wear any jewelry except for a plain ring such as a wedding band.
- 11. Treat and bandage wounds and sores immediately. When hands are bandaged, singleuse gloves must be worn.
- 12. Cover a lesion containing pus with a bandage. If the lesion is on a hand or wrist, cover with an impermeable cover such as a finger cot or stall and a single-use glove.
- 13. Eat, drink, use tobacco, or chew gum only in designated break areas where food or food contact surfaces may not become contaminated.
- 14. Taste food the correct way:
 - Place a small amount of food into a separate container.
 - Step away from exposed food and food contact surfaces.
 - Use a teaspoon to taste the food. Remove the used teaspoon and container to the dish room. Never reuse a spoon that has already been used for tasting.
 - Wash hands immediately.
- 15. Wear suitable and effective hair restraints while in the kitchen.



Personal Hygiene, continued

(Sample SOP)

MONITORING:

- A designated foodservice employee will inspect employees when they report to work to be sure that each employee is following this SOP.
- The designated foodservice employee will monitor that all foodservice employees are adhering to the personal hygiene policy during all hours of operation.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Discard affected food.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice employees are following this SOP by visually observing the employees during all hours of operation. The foodservice manager will complete the Food Safety Checklist daily. Foodservice employees will record any discarded food on the Damaged or Discarded Product Log. The Food Safety Checklist and Damaged or Discarded Product Logs are to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
	RV.
DATE REVISED:	_BY:



Preventing Contamination at Food Bars

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all items held on food bars are protected from contamination.

SCOPE: This procedure applies to anyone who is responsible for maintaining and monitoring the self-service food bars.

KEY WORDS: Contamination, Self-Service, Salad Bars, Food Bars

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Follow Employee Health Policy, Personal Hygiene, and Washing Hands SOPs. (Employee health policy is not included in this resource.)
- 4. Follow manufacturer's instructions for pre-heating and pre-chilling food bar equipment before use.
- 5. Place all exposed food under sneeze guards.
- 6. Provide an appropriate clean and sanitized utensil for each container on the food bar.
- 7. Replace existing containers of food with new containers when replenishing the food bar.
- 8. Assist customers who are unable to properly use utensils.
- 9. Ensure that customers use a clean dish when returning to the food bar.
- 10. Store eating utensils with the handles up or in a manner to prevent customers from touching the food contact surfaces.
- 11. Avoid using spray chemicals to clean food bars when in use.

MONITORING:

- 1. Monitor and record temperatures of food in accordance with the Holding Hot and Cold Potentially Hazardous Foods SOP.
- 2. Continually monitor food containers to ensure that utensils are stored on a clean and sanitized surface or in the containers with the handles out of the food.
- 3. Continually monitor customers' use of the food bar to ensure that customers are not:
 - Touching food with their bare hands
 - Coughing, spitting, or sneezing on the food
 - Placing foreign objects in the food



Preventing Contamination at Food Bars, continued

(Sample SOP)

MONITORING, continued:

• Using the same plate for subsequent trips

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Remove and discard contaminated food.
- 3. Demonstrate to customers how to properly use utensils.
- 4. Discard the food if it cannot be determined how long the food temperature was above 41 °F or below 135 °F.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice employees are assigned to maintain food bars during all hours of operation. Foodservice employees will record temperatures of food items and document corrective actions taken on the Hot and Cold Holding Temperature Log. The foodservice manager will complete the Food Safety Checklist daily. This form is to be kept on file for a minimum of 1 year. Foodservice employees will document any discarded food on the Damaged or Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged or Discarded Product Log each day. The Hot and Cold Holding Temperature Log and the Damaged or Discarded Product Log are to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY:



Preventing Cross-Contamination During Storage and Preparation

(Sample SOP)

PURPOSE: To reduce foodborne illness by preventing unintentional contamination of food.

SCOPE: This procedure applies to anyone who is responsible for receiving, storing, preparing, and serving food.

KEY WORDS: Cross-Contamination, Preparation, Contamination, Storage, Receiving

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Wash hands properly. Refer to the Washing Hands SOP.
- 4. Avoid touching ready-to-eat food with bare hands. Refer to Using Suitable Utensils When Handling Ready-To-Eat Foods SOP.
- 5. Separate raw animal foods, such as eggs, fish, meat, and poultry, from ready-to-eat foods, such as lettuce, cut melons, and lunch meats during receiving, storage, and preparation.
- 6. Separate different types of raw animal foods, such as eggs, fish, meat, and poultry, from each other, except when combined in recipes.
- 7. Store raw animal foods in refrigerators or walk-in coolers by placing the raw animal foods on shelves in order of cooking temperatures with the raw animal food requiring the highest cooking temperature, such as chicken, on the lowest shelf.
- 8. Separate unwashed fruits and vegetables from washed fruits and vegetables and other ready-to-eat foods.
- 9. Use only dry, cleaned, and sanitized equipment and utensils. Refer to Cleaning and Sanitizing Food Contact Surfaces SOP for proper cleaning and sanitizing procedure.
- 10. Touch only those surfaces of equipment and utensils that will not come in direct contact with food.
- 11. Place food in covered containers or packages, except during cooling, and store in the walk-in refrigerator or cooler.
- 12. Designate an upper shelf of a refrigerator or walk-in cooler as the "cooling" shelf. Uncover containers of food during the initial quick cool-down phase to facilitate cooling.



Preventing Cross-Contamination During Storage and Preparation, continued

(Sample SOP)

INSTRUCTIONS, continued:

- 13. Clean the exterior surfaces of food containers, such as cans and jars, of visible soil before opening.
- 14. Store damaged goods in a separate location. Refer to Segregating Damaged Goods SOP.

MONITORING:

A designated foodservice employee will continually monitor food storage and preparation to ensure that food is not cross-contaminated.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Separate foods found improperly stored.
- 3. Discard ready-to-eat foods that are contaminated by raw eggs, raw fish, raw meat, or raw poultry.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will visually observe that employees are following these procedures and taking all necessary corrective actions during all hours of operation. The foodservice manager will periodically check the storage of foods during hours of operation and complete the Food Safety Checklist daily. The Food Safety Checklist will be kept on file for a minimum of 1 year. Foodservice employees will document any discarded food on the Damaged and Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged and Discarded Product Log each day. The Damaged and Discarded Product Log is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
	57
DATE REVIEWED:	_BY:
DATE REVISED:	BY:



Receiving Deliveries

(Sample SOP)

PURPOSE: To ensure that all food is received fresh and safe when it enters the foodservice operation and to transfer food to proper storage as quickly as possible.

SCOPE: This procedure applies to foodservice employees who handle, prepare, or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Receiving, Holding, Frozen Goods, Delivery

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Schedule deliveries to arrive at designated times during operational hours.
- 4. Post the delivery schedule, including the names of vendors, days and times of deliveries, and drivers' names.
- 5. Establish a rejection policy to ensure accurate, timely, consistent, and effective refusal and return of rejected goods.
- 6. Organize freezer and refrigeration space, loading docks, and store rooms before deliveries.
- 7. Gather product specification lists and purchase orders, temperature logs, calibrated thermometers, pens, flashlights, and clean loading carts before deliveries. Refer to the Using and Calibrating Thermometers SOP.
- 8. Keep receiving area clean and well lighted.
- 9. Do not touch ready-to-eat foods with bare hands.
- 10. Determine whether foods will be marked with the date arrival or the "use by" date and mark accordingly upon receipt.
- 11. Compare delivery invoice against products ordered and products delivered.
- 12. Transfer foods to their appropriate locations as quickly as possible.



Receiving Deliveries, continued

(Sample SOP)

MONITORING:

- 1. Inspect the delivery truck when it arrives to ensure that it is clean, free of putrid odors, and organized to prevent cross-contamination. Be sure refrigerated foods are delivered on a refrigerated truck.
- 2. Check the interior temperature of refrigerated trucks.
- 3. Confirm vendor name, day and time of delivery, as well as driver's identification before accepting delivery. If driver's name is different from what is indicated on the delivery schedule, contact the vendor immediately.
- 4. Check frozen foods to ensure that they are all frozen solid and show no signs of thawing and refreezing, such as the presence of large ice crystals or liquids on the bottom of cartons.
- 5. Check the temperature of refrigerated foods.
 - a. For fresh meat, fish, and poultry products, insert a clean and sanitized thermometer into the center of the product to ensure a temperature of 41 °F or below. The temperature of milk should be 45 °F or below.
 - b. For packaged products, insert a food thermometer between two packages being careful not to puncture the wrapper. If the temperature exceeds 41 °F, it may be necessary to take the internal temperature before accepting the product.
 - c. For eggs, the interior temperature of the truck should be 45 °F or below.
- 6. Check dates of milk, eggs, and other perishable goods to ensure safety and quality.
- 7. Check the integrity of food packaging.
- 8. Check the cleanliness of crates and other shipping containers before accepting products. Reject foods that are shipped in dirty crates.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Reject the following:
 - Frozen foods with signs of previous thawing
 - Cans that have signs of deterioration, such as swollen sides or ends, flawed seals or seams, dents, or rust
 - Punctured packages
 - Foods with out-dated expiration dates
 - Foods that are out of safe temperature zone or deemed unacceptable by the established rejection policy



Receiving Deliveries, continued

(Sample SOP)

VERIFICATION AND RECORD KEEPING:

Record the temperature and the corrective action on the delivery invoice or on the Receiving Log. The foodservice manager will verify that foodservice employees are receiving products using the proper procedure by visually monitoring receiving practices during the shift and reviewing the Receiving Log at the close of each day. Receiving Logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	_BY:



Reheating Potentially Hazardous Foods

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all foods are reheated to the appropriate internal temperature.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Reheating, Holding, Hot Holding

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. If State or local requirements are based on the 2001 FDA Food Code, heat processed, ready-to-eat foods from a package or can, such as canned green beans or prepackaged breakfast burritos, to an internal temperature of at least 135 °F for 15 seconds for hot holding.
- 4. Reheat the following products to 165 °F for 15 seconds:
 - Any food that is cooked, cooled, and reheated for hot holding
 - Leftovers reheated for hot holding
 - Products made from leftovers, such as soup
 - Precooked, processed foods that have been previously cooled
- 5. Reheat food for hot holding in the following manner if using a microwave oven:
 - Heat processed, ready-to-eat foods from a package or can to at least 135 °F for 15 seconds
 - Heat leftovers to 165 °F for 15 seconds
 - Rotate (or stir) and cover foods while heating
 - Allow to sit for 2 minutes after heating
- 6. Reheat all foods rapidly. The total time the temperature of the food is between 41 °F and 165 °F may not exceed 2 hours.
- 7. Serve reheated food immediately or transfer to an appropriate hot holding unit.

MONITORING:

- 1. Use a clean, sanitized, and calibrated probe thermometer.
- 2. Take at least two internal temperatures from each pan of food.



Reheating Potentially Hazardous Foods, continued

(Sample SOP)

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Continue reheating and heating food if the internal temperature does not reach the required temperature.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record product name, time, the two temperatures/times, and any corrective action taken on the Cooking and Reheating Temperature Log. Foodservice manager will verify that foodservice employees have taken the required reheating temperatures by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Cooking and Reheating Temperature Log at the close of each day. The temperature logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	_BY:



Serving Food

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that all foods are served in a sanitary manner.

SCOPE: This procedure applies to foodservice employees who serve food.

KEY WORDS: Cross-Contamination, Service

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. Follow the employee health policy. (Employee health policy is not included in this resource.)
- 4. Wash hands before putting on gloves, each time the gloves are changed, when changing tasks, and before serving food with utensils. Refer to the Washing Hands SOP.
- 5. Avoid touching ready-to-eat foods with bare hands. Refer to the Using Suitable Utensils when Handling Ready-To-Eat Foods SOP.
- 6. Handle plates by the edge or bottom; cups by the handle or bottom; and utensils by the handles.
- 7. Store utensils with the handles up or by other means to prevent contamination.
- 8. Hold potentially hazardous food at the proper temperature. Refer to the Holding Hot and Cold Potentially Hazardous Foods SOP.
- 9. Serve food with clean and sanitized utensils.
- 10. Store in-use utensils properly. Refer to the Storing In-Use Utensils SOP.
- 11. Date mark and cool potentially hazardous foods or discard leftovers. Refer to the Date Marking Ready-to-Eat, Potentially Hazardous Foods, and Cooling Potentially Hazardous Foods SOPs.

MONITORING:

A designated foodservice employee will visually observe that food is being served in a manner that prevents contamination during all hours of service.



Serving Food, continued

(Sample SOP)

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Replace improperly handled plates, cups, or utensils.
- 3. Discard ready-to-eat food that has been touched with bare hands.
- 4. Follow the corrective actions identified in the Washing Hands; Using Suitable Utensils When Handling Ready-To-Eat Foods; Date Marking Ready-to-Eat, Potentially Hazardous Foods; Cooling Potentially Hazardous Foods; and Holding Hot and Cold Potentially Hazardous Foods SOPs.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will periodically check the storage and use of utensils during service. In addition, the foodservice manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	
	=	



Storing and Using Poisonous or Toxic Chemicals

(Sample SOP)

PURPOSE: To prevent foodborne illness by chemical contamination.

SCOPE: This procedure applies to foodservice employees who use chemicals in the kitchen.

KEY WORDS: Chemicals, Cross-Contamination, Contamination, Material Safety Data Sheet

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Designate a location for storing the Material Safety Data Sheets (MSDS).
- 4. Follow manufacturer's directions for specific mixing, storing, and first aid instructions on the chemical containers in the MSDS.
- 5. Label and date all poisonous or toxic chemicals with the common name of the substance.
- 6. Store all chemicals in a designated secured area away from food and food contact surfaces using spacing or partitioning.
- 7. Limit access to chemicals by use of locks, seals, or key cards.
- 8. Maintain an inventory of chemicals.
- 9. Store only chemicals that are necessary to the operation and maintenance of the kitchen.
- 10. Mix, test, and use sanitizing solutions as recommended by the manufacturer and the State or local health department.
- 11. Use the appropriate chemical test kit to measure the concentration of sanitizer each time a new batch of sanitizer is mixed.
- 12. Do not use chemical containers for storing food or water.
- 13. Use only hand sanitizers that comply with the 2001 FDA Food Code. Confirm with the manufacturer that the hand sanitizers used meet the requirements of the 2001 FDA Food Code.
- 14. Label and store first aid supplies in a container that is located away from food or food contact surfaces.
- 15. Label and store medicines for employee use in a designated area and away from food contact surfaces. Do not store medicines in food storage areas.
- 16. Store refrigerated medicines in a covered, leak proof container where they are not accessible to children and cannot contaminate food.



Storing and Using Poisonous or Toxic Chemicals, continued

(Sample SOP)

MONITORING:

Foodservice employees and foodservice manager will visually observe that chemicals are being stored, labeled, and used properly during all hours of operation.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Discard any food contaminated by chemicals.
- 3. Label and properly store any unlabeled or misplaced chemicals.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will complete the Food Safety Checklist daily to indicate that monitoring is completed. Foodservice employees will record the name of the contaminated food, date, time, and the reason why the food was discarded on the Damaged and Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged and Discarded Product Log each day. The Food Safety Checklist and Damaged and Discarded Product Logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	_ BY:
DATE REVISED:	BY:



Transporting Food to Remote Sites (Satellite Kitchens)

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that food temperatures are maintained during transportation and contamination is prevented.

SCOPE: This procedure applies to foodservice employees who transport food from a central kitchen to remote sites (satellite kitchens).

KEY WORDS: Hot Holding, Cold Holding, Reheating, Cooling, Transporting Food

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. If State or local health department requirements are based on the 2001 FDA Food Code:
 - Keep frozen foods frozen during transportation.
 - Maintain the temperature of refrigerated, potentially hazardous foods at 41 °F or below and cooked foods that are transported hot at 135 °F or above.
- 4. Use only food carriers for transporting food approved by the National Sanitation Foundation International or that have otherwise been approved by the state or local health department.
- 5. Prepare the food carrier before use:
 - Ensure that all surfaces of the food carrier are clean.
 - Wash, rinse, and sanitize the interior surfaces.
 - Ensure that the food carrier is designed to maintain cold food temperatures at 41 °F and hot food temperatures at 135 °F or above.
 - Place a calibrated stem thermometer in the warmest part of the carrier if used for transporting cold food, or the coolest part of the carrier if used for transporting hot food. Refer to the Using and Calibrating Thermometers SOP.
 - Pre-heat or pre-chill the food carrier according to the manufacturer's recommendations.
- 6. Store food in containers suitable for transportation. Containers should be:
 - Rigid and sectioned so that foods do not mix
 - Tightly closed to retain the proper food temperature
 - Nonporous to avoid leakage
 - Easy-to-clean or disposable
 - Approved to hold food



Transporting Food to Remote Sites (Satellite Kitchens), continued

(Sample SOP)

INSTRUCTIONS, continued:

- 7. Place food containers in food carriers and transport the food in clean trucks, if applicable, to remote sites as quickly as possible.
- 8. Follow Receiving Deliveries SOP when food arrives at remote site.

MONITORING:

- 1. Check the air temperature of the food carrier to ensure that the temperature suggested by the manufacturer is reached prior to placing food into it.
- 2. Check the internal temperatures of food using a calibrated thermometer before placing it into the food carrier. Refer to the Holding Hot and Cold Potentially Hazardous Foods SOP for the proper procedures to follow when taking holding temperatures.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Continue heating or chilling food carrier if the proper air temperature is not reached.
- 3. Reheat food to 165 °F for 15 seconds if the internal temperature of hot food is less than 135 °F. Refer to the Reheating Potentially Hazardous Foods SOP.
- 4. Cool food to 41 °F or below using a proper cooling procedure if the internal temperature of cold food is greater than 41 °F. Refer to the Cooling Potentially Hazardous Foods SOP for the proper procedures to follow when cooling food.
- 5. Discard foods held in the danger zone for greater than 4 hours.

VERIFICATION AND RECORD KEEPING:

Before transporting food to remote sites, foodservice employees will record food carrier temperature, food product name, time, internal temperatures, and any corrective action taken on the Hot and Cold Holding Temperature Log. Upon receipt of food at remote sites, foodservice employees will record receiving temperatures and corrective action taken on the Receiving Log. The foodservice manager at central kitchens will verify that foodservice employees are following this SOP by visually observing employees and reviewing and initialing the Hot and Cold Holding Temperature Log daily. The foodservice manager at the remote site(s) will verify that foodservice employees are receiving foods at the proper temperature and following the proper receiving procedures by visually observing receiving practices during the shift and reviewing and initialing the Receiving Log daily. All logs are kept on file for a minimum of 1 year. The foodservice



Transporting Food to Remote Sites (Satellite Kitchens),

continued

(Sample SOP)

VERIFICATION AND RECORD KEEPING, continued:

manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	



Using and Calibrating Thermometers

(Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that the appropriate type of thermometer is used to measure internal product temperatures and that thermometers used are correctly calibrated for accuracy.

SCOPE: This procedure applies to foodservice employees who prepare, cook, and cool food.

KEY WORDS: Thermometers, Calibration

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Follow the food thermometer manufacturer's instructions for use. Use a food thermometer that measures temperatures from 0 °F (-18 °C) to 220 °F (104 °C) and is appropriate for the temperature being taken. For example:
 - Temperatures of thin products, such as hamburgers, chicken breasts, pizza, filets, nuggets, hot dogs, and sausage patties, must be taken using a thermistor or thermocouple with a thin probe.
 - Bimetallic, dial-faced stem thermometers are accurate only when measuring temperatures of thick foods. They may not be used to measure temperatures of thin foods. A dimple mark located on the stem of the thermometer indicates the maximum food thickness that can be accurately measured.
 - Use only oven-safe, bimetallic thermometers when measuring temperatures of food while cooking in an oven.
- 4. Have food thermometers easily-accessible to foodservice employees during all hours of operation.
- 5. Clean and sanitize food thermometers before each use. Refer to the Cleaning and Sanitizing Food Contact Surfaces SOP for the proper procedure to follow.
- 6. Store food thermometers in an area that is clean and where they are not subject to contamination.



Using and Calibrating Thermometers, continued

(Sample SOP)

MONITORING:

- 1. Foodservice employees will use either the ice-point method or boiling-point method to verify the accuracy of food thermometers. This is known as calibration of the thermometer.
- 2. To use ice-point method:
 - Insert the thermometer probe into a cup of crushed ice.
 - Add enough cold water to remove any air pockets that might remain.
 - Allow the temperature reading to stabilize before reading temperature.
 - Temperature measurement should be 32 °F (± 2 °F) [or 0 °C (± 1 °C)]. If not, adjust according to manufacturer's instructions.
- 3. To use boiling-point method:
 - Immerse at least the first two inches of the probe into boiling water.
 - Allow the temperature reading to stabilize before reading temperature.
 - Reading should be 212 °F (± 2 °F) [or 100 °C (± 1 °C)]. This reading may vary at higher altitudes. If adjustment is required, follow manufacturer's instructions.
- 4. Foodservice employees will check the accuracy of the food thermometers:
 - At regular intervals (at least once per week)
 - If dropped
 - If used to measure extreme temperatures, such as in an oven
 - Whenever accuracy is in question

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. For an inaccurate, bimetallic, dial-faced thermometer, adjust the temperature by turning the dial while securing the calibration nut (located just under or below the dial) with pliers or a wrench.
- 3. For an inaccurate, digital thermometer with a reset button, adjust the thermometer according to manufacturer's instructions.
- 4. If an inaccurate thermometer cannot be adjusted on-site, discontinue using it, and follow manufacturer's instructions for having the thermometer calibrated.
- 5. Retrain employees who are using or calibrating food thermometers improperly.



Using and Calibrating Thermometers, continued

(Sample SOP)

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record the calibration temperature and any corrective action taken, if applicable, on the Thermometer Calibration Log each time a thermometer is calibrated. The foodservice manager will verify that foodservice employees are using and calibrating thermometers properly by making visual observations of the employees during the calibration process and all operating hours. The foodservice manager will review and initial the Calibration Log daily. The Calibration Log will be kept on file a minimum of 1 year. The foodservice manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY:



Using Suitable Utensils When Handling Ready-to-Eat Foods (Sample SOP)

PURPOSE: To prevent foodborne illness due to hand-to-food cross-contamination.

SCOPE: This procedure applies to foodservice employees who prepare, handle, or serve food.

KEY WORDS: Ready-to-Eat Food, Cross-Contamination

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Use proper handwashing procedures to wash hands and exposed arms prior to preparing or handling food or at anytime when the hands may have become contaminated.
- 4. Do not use bare hands to handle ready-to-eat foods at any time unless washing fruits and vegetables.
- 5. Use suitable utensils when working with ready-to-eat food. Suitable utensils may include:
 - Single-use gloves
 - Deli tissue
 - Foil wrap
 - Tongs, spoodles, spoons, and spatulas
- 6. Wash hands and change gloves:
 - Before beginning food preparation
 - Before beginning a new task
 - After touching equipment such as refrigerator doors or utensils that have not been cleaned and sanitized
 - After contacting chemicals
 - When interruptions in food preparation occur, such as when answering the telephone or checking in a delivery
 - When handling money
 - Anytime a glove is torn, damaged, or soiled
 - Anytime contamination of a glove might have occurred



Using Suitable Utensils When Handling Ready-to-Eat Foods, continued

(Sample SOP)

MONITORING:

A designated foodservice employee will visually observe that gloves or suitable utensils are used and changed at the appropriate times during all hours of operation.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Discard ready-to-eat food touched with bare hands.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice workers are using suitable utensils by visually monitoring foodservice employees during all hours of operation. The foodservice manager will complete the Food Safety Checklist daily. The designated foodservice employee responsible for monitoring will record any discarded food on the Damaged and Discarded Product Log. The Food Safety Checklist and Damaged and Discarded Food Log are kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
	51
DATE REVISED:	_BY:



Using Time Alone as a Public Health Control to Limit Bacteria Growth in Potentially Hazardous Foods (Sample SOP)

PURPOSE: To prevent foodborne illness by ensuring that potentially hazardous foods are not held in the temperature danger zone for more than 4 hours before being cooked or served.

SCOPE: This procedure applies to foodservice employees that handle, prepare, cook, and serve food.

KEY WORDS: Temperatures, Holding, Time As a Public Health Control

- 1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
- 2. Follow State or local health department requirements.
- 3. If State or local health department requirements are based on the 2001 FDA Food *Code*, establish written procedures that clearly identify the:
 - Specific foods for which time rather than temperature will be used to limit bacteria growth.
 - Corrective procedures that are followed to ensure that foods are cooled properly. Refer to the Cooling Potentially Hazardous Foods SOP.
 - Marking procedures used to indicate the time that is 4 hours past the point when the food is removed from temperature control, such as an oven or refrigerator.
 - Procedures that are followed when food is in the danger zone for greater than 4 hours.
- 4. Cook raw potentially hazardous food within 4 hours past the point when the food is removed from temperature control.
- 5. Serve or discard cooked or ready-to-eat food within 4 hours past the time when the food is removed from temperature control.
- 6. Avoid mixing different batches of food together in the same container. If different batches of food are mixed together in the same container, use the time associated with the first batch of food as the time by which to cook, serve, or discard all the food in the container.



Using Time Alone as a Public Health Control to Limit Bacteria Growth in Potentially Hazardous Foods, continued

(Sample SOP)

MONITORING:

- 1. Foodservice employees will continually monitor that foods are properly marked or identified with the time that is 4 hours past the point when the food is removed from temperature control.
- 2. Foodservice employees will continually monitor that foods are cooked, served, or discarded by the indicated time.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Discard unmarked or unidentified food or food that is noted to exceed the 4-hour limit.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will mark or otherwise identify food as specified in the Instructions Section of this SOP. The foodservice manager will verify that foodservice employees are following this procedure by visually monitoring foodservice employees and food handling during the shift. The foodservice manager will complete the Food Safety Checklist daily. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	_ BY:
DATE REVISED:	_BY:



Washing Fruits and Vegetables

(Sample SOP)

PURPOSE: To prevent or reduce risk of foodborne illness or injury by contaminated fruits and vegetables.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Fruits, Vegetables, Cross-Contamination, Washing

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Wash hands using the proper procedure.
- 4. Wash, rinse, sanitize, and air-dry all food-contact surfaces, equipment, and utensils that will be in contact with produce, such as cutting boards, knives, and sinks.
- 5. Follow manufacturer's instructions for proper use of chemicals.
- 6. Wash all raw fruits and vegetables thoroughly before combining with other ingredients, including:
 - Unpeeled fresh fruit and vegetables that are served whole or cut into pieces.
 - Fruits and vegetables that are peeled and cut to use in cooking or served ready-toeat.
- 7. Wash fresh produce vigorously under cold running water or by using chemicals that comply with the *2001 FDA Food Code*. Packaged fruits and vegetables labeled as being previously washed and ready-to-eat are not required to be washed.
- 8. Scrub the surface of firm fruits or vegetables such as apples or potatoes using a clean and sanitized brush designated for this purpose.
- 9. Remove any damaged or bruised areas.
- 10. Label, date, and refrigerate fresh-cut items.
- 11. Serve cut melons within 7 days if held at 41 °F or below. Refer to the Date Marking Ready-to-Eat, Potentially Hazardous Food SOP.
- 12. Do not serve raw seed sprouts to highly susceptible populations such as preschool-age children.



Washing Fruits and Vegetables, continued

(Sample SOP)

MONITORING:

- 1. The foodservice manager will visually monitor that fruits and vegetables are being properly washed, labeled, and dated during all hours of operation.
- 2. Foodservice employees will check daily the quality of fruits and vegetables in cold storage.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Remove unwashed fruits and vegetables service and washed immediately before being served.
- 3. Label and date fresh cut fruits and vegetables.
- 4. Discard cut melons held after 7 days.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will complete the Food Safety Checklist daily to indicate that monitoring is being conducted as specified in this SOP. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	_ BY:
DATE REVISED:	BY:
-	



Washing Hands

(Sample SOP)

PURPOSE: To prevent foodborne illness by contaminated hands.

SCOPE: This procedure applies to anyone who handle, prepare, and serve food.

KEY WORDS: Handwashing, Cross-Contamination

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow State or local health department requirements.
- 3. Post handwashing signs or posters in a language understood by all foodservice staff near all handwashing sinks, in food preparation areas, and restrooms.
- 4. Use designated handwashing sinks for handwashing only. Do not use food preparation, utility, and dishwashing sinks for handwashing.
- 5. Provide warm running water, soap, and a means to dry hands. Provide a waste container at each handwashing sink or near the door in restrooms.
- 6. Keep handwashing sinks accessible anytime employees are present.
- 7. Wash hands:
 - Before starting work
 - During food preparation
 - When moving from one food preparation area to another
 - Before putting on or changing gloves
 - After using the toilet
 - After sneezing, coughing, or using a handkerchief or tissue
 - After touching hair, face, or body
 - After smoking, eating, drinking, or chewing gum or tobacco
 - After handling raw meats, poultry, or fish
 - After any clean up activity such as sweeping, mopping, or wiping counters
 - After touching dirty dishes, equipment, or utensils
 - After handling trash
 - After handling money
 - After any time the hands may become contaminated
- 8. Follow proper handwashing procedures as indicated below:
 - Wet hands and forearms with warm, running water at least 100 °F and apply soap.
 - Scrub lathered hands and forearms, under fingernails, and between fingers for at least 10-15 seconds. Rinse thoroughly under warm running water for 5-10 seconds.
 - Dry hands and forearms thoroughly with single-use paper towels.
 - Dry hands for at least 30 seconds if using a warm air hand dryer.
 - Turn off water using paper towels.
 - Use paper towel to open door when exiting the restroom.
- 9. Follow FDA recommendations when using hand sanitizers. These recommendations are as follows:



Washing Hands, continued

(Sample SOP)

INSTRUCTIONS, continued:

- Use hand sanitizers only after hands have been properly washed and dried.
- Use only hand sanitizers that comply with the 2001 FDA Food Code. Confirm with the manufacturers that the hand sanitizers used meet these requirements.
- Use hand sanitizers in the manner specified by the manufacturer.

MONITORING:

- 1. A designated employee will visually observe the handwashing practices of the foodservice staff during all hours of operation.
- 2. The designated employee will visually observe that handwashing sinks are properly supplied during all hours of operation.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Ask employees that are observed not washing their hands at the appropriate times or using the proper procedure to wash their hands immediately.
- 3. Retrain employee to ensure proper handwashing procedure.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will complete the Food Safety Checklist daily to indicate that monitoring is being conducted as specified. The Food Safety Checklist is to be kept on file for a minimum of 1 year.

DATE IMPLEMENTED:	_BY:
DATE REVIEWED:	BY:
DATE REVISED:	_BY:



Reference List

Iowa State University. (2003). *HACCP: Hazard analysis critical control point information center*. Retrieved October 11, 2005, from http://www.iowahaccp.iastate.edu/plans/index.cfm?CatList=14,16&ParentID=16§io nid=2.

U. S. Department of Agriculture, Food and Nutrition Service. (June 2005). *Guidance for school food authorities: Developing a school food service program based on the process approach to haccp principles.* Retrieved October 11, 2005, from http://www.fns.usda.gov/cnd/lunch/Downloadable/HACCPGuidance.pdf.

U. S. Department of Agriculture, Food and Nutrition Service, & National Food Service Management Institute. (2002). *Responding to a food recall*. University, MS: Author.

U. S. Department of Agriculture, Food and Nutrition Service, & National Food Service Management Institute. (2004). *Serving it safe (2nd ed)*. University, MS: Author.

U. S. Department of Agriculture, Food and Nutrition Service, & National Food Service Management Institute. (2004). *Wash your hands: Educating the school community*. University, MS: Author.

U. S. Food and Drug Administration. (2001). *Food code*. Retrieved October 11, 2005, from http://www.cfsan.fda.gov/~dms/foodcode.html#intro.



Resource List

National Food Service Management Institute. (2003). *Emergency readiness plan: Guide and forms for the school foodservice operation*. University, MS: Author.

National Food Service Management Institute. (2004). Serving it safe poster. University, MS: Author.

United States Food and Drug Administration Center for Food Safety and Applied Nutrition. (2005). *Managing Food Safety: A HACCP principles guide for operators of food establishments at the retail level*. Available at http://vm.cfsan.fda.gov/~dms/hret-2.html#flow.

U.S. Department of Agriculture, Food and Nutrition Service. (2004). *A biosecurity checklist for school foodservice programs: Developing a biosecurity management plan.* Available at http://schoolmeals.nal.usda.gov/Safety/biosecurity.pdf.

Food Safety Web Sites

FDA Center for Food Safety and Applied Nutrition, available at http://www.cfsan.fda.gov/~lrd/haccp.html

Gateway to Government Food Safety Information, available at www.FoodSafety.gov

Healthy School Meals Resource System, available at http://schoolmeals.nal.usda.gov/

"Is It Done Yet?" available at http://www.isitdoneyet.gov

"Thermy™" available at http://www.fsis.usda.gov/Food_Safety_Education/Thermy

Thermometer Resource available at http://www.nfsmi.org/Information/thermometer_resource.html

